

NAME

cat - concatenate files and print on the standard output

SYNOPSIS

cat [*OPTION*]... [*FILE*]...

DESCRIPTION

Concatenate FILE(s), or standard input, to standard output.

- A, --show-all**
equivalent to **-vET**
- b, --number-nonblank**
number nonempty output lines, overrides **-n**
- e** equivalent to **-vE**
- E, --show-ends**
display \$ at end of each line
- n, --number**
number all output lines
- s, --squeeze-blank**
suppress repeated empty output lines
- t** equivalent to **-vT**
- T, --show-tabs**
display TAB characters as ^I
- u** (ignored)
- v, --show-nonprinting**
use ^ and M- notation, except for LFD and TAB
- help** display this help and exit
- version**
output version information and exit

With no FILE, or when FILE is -, read standard input.

EXAMPLES

cat f - g Output f's contents, then standard input, then g's contents.

cat Copy standard input to standard output.

AUTHOR

Written by Torbjorn Granlund and Richard M. Stallman.

REPORTING BUGS

GNU coreutils online help: <<http://www.gnu.org/software/coreutils/>>

Report cat translation bugs to <<http://translationproject.org/team/>>

COPYRIGHT

Copyright © 2014 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<http://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

[tac\(1\)](#)

Full documentation at: <<http://www.gnu.org/software/coreutils/cat>>
or available locally via: info '(coreutils) cat invocation'