

## NAME

dbconfig-generate-include - generate custom format db include files

## SYNOPSIS

```
dbconfig-generate-include [-hv] [-f format] [-o options] [-a] [-d[varname]] [-u[varname]]
[-p[varname]] [-s[varname]] [-P[varname]] [-t[varname]] [-C[commentstr]] [-O
owner[:group]] [-m mode] [-U] infile [outfile]
```

## DESCRIPTION

**dbconfig-generate-include** is a program to generate custom format include files containing the information necessary to connect a program to a database resource.

## OPTIONS

**infile** use the given dbconfig-common config file as input

**outfile** use the given file as input (default: stdout)

**-f|--format**

use the given output format (default: sh)

**-o|--options**

pass options specific to an output format in a semicolon separated list. see OUTPUT FORMATS/OPTIONS for more information.

**-a|--all** include all information in output (default)

**-d|--dbname**

include the dbname in the output

**-p|--dbpass**

include the dbpass in the output

**-s|--dbserver**

include the dbserver in the output

**-P|--dbport**

include the dbport in the output

**-u|--dbuser**

include the dbuser in the output

**-t|--dbtype**

include the dbtype in the output

**-C|--comment**

comment out any unset variables, using a string appropriate comment string for the programming language in question. can be overridden with an optional parameter as an arbitrary comment.

**-O|--owner**

set the owner:group of the output file

**-m|--mode**

set the permissions on the output file

**-U|--ucf**

register the outputfile with ucf

**-h|--help**

display this helpful message

**-v|--version**

output the version and exit

## OUTPUT FORMATS/OPTIONS

format is one of a list of include-file style formats for various programming languages. the current list includes:

sh     /bin/sh style include file.

perl   perl parseable include file.

php    php parseable include file.

template

a file which contains a series of fields to be replaced with actual values. all substitutable fields consist of the underlying dbc\_ variable name capitalized and surrounded with underscores. for example: `_DBC_DBUSER_`.

**options:** `template_infile` (path to input file containing template)

cpp    c-style header file, using `#define`'d constants.