### NAME

Openbox - standards compliant, fast, light-weight, extensible window manager.

## **SYNOPSIS**

gdm-control <option>

### **DESCRIPTION**

gdm-control lets you control gdm from within an X session. It enables you to change GDM's behaviour for when you end the current sesson. For instance, you can tell GDM to reboot, and then immediately log out of the current session, and the computer will be rebooted.

### **OPTIONS**

## --help

Display some help and exit.

### --none

Do nothing special when the current session ends.

#### --shutdown

Shutdown the computer when the current session ends.

#### --reboot

eboot the computer when the current session ends.

### --suspend

Suspend the computer when the current session ends.

### --switch-user

Log in as a new user (this works immediately).

### **AUTHORS**

Openbox was written by Mikael Magnusson <mangosoft@comhem.se> and Dana Jansens <danakj@orodu.net>, aided by several contributors; for a full list read the file AUTHORS.

This manual page was written by Nico Golde <nion@debian.org>

# **COPYRIGHT**

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

On Debian GNU/Linux systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL'.