

NAME

git-clean - Remove untracked files from the working tree

SYNOPSIS

```
git clean [-d] [-f] [-i] [-n] [-q] [-e <pattern>] [-x | -X] [--] <path>...
```

DESCRIPTION

Cleans the working tree by recursively removing files that are not under version control, starting from the current directory.

Normally, only files unknown to Git are removed, but if the *-x* option is specified, ignored files are also removed. This can, for example, be useful to remove all build products.

If any optional *<path>...* arguments are given, only those paths are affected.

OPTIONS

-d

Remove untracked directories in addition to untracked files. If an untracked directory is managed by a different Git repository, it is not removed by default. Use *-f* option twice if you really want to remove such a directory.

-f, --force

If the Git configuration variable `clean.requireForce` is not set to `false`, *git clean* will refuse to run unless given *-f*, *-n* or *-i*.

-i, --interactive

Show what would be done and clean files interactively. See “Interactive mode” for details.

-n, --dry-run

Don't actually remove anything, just show what would be done.

-q, --quiet

Be quiet, only report errors, but not the files that are successfully removed.

-e <pattern>, --exclude=<pattern>

In addition to those found in `.gitignore` (per directory) and `$GIT_DIR/info/exclude`, also consider these patterns to be in the set of the ignore rules in effect.

-x

Don't use the standard ignore rules read from `.gitignore` (per directory) and `$GIT_DIR/info/exclude`, but do still use the ignore rules given with *-e* options. This allows removing all untracked files, including build products. This can be used (possibly in conjunction with *git reset*) to create a pristine working directory to test a clean build.

-X

Remove only files ignored by Git. This may be useful to rebuild everything from scratch, but keep manually created files.

INTERACTIVE MODE

When the command enters the interactive mode, it shows the files and directories to be cleaned, and goes into its interactive command loop.

The command loop shows the list of subcommands available, and gives a prompt `What now>` . In general, when the prompt ends with a single `>`, you can pick only one of the choices given and type return, like this:

```
*** Commands ***
```

```
1: clean 2: filter by pattern 3: select by numbers
```

```
4: ask each 5: quit 6: help
```

```
What now> 1
```

You also could say `c` or `clean` above as long as the choice is unique.

The main command loop has 6 subcommands.

clean

Start cleaning files and directories, and then quit.

filter by pattern

This shows the files and directories to be deleted and issues an Input ignore patterns>> prompt. You can input space-separated patterns to exclude files and directories from deletion. E.g. *.c *.h will exclude files end with .c and .h from deletion. When you are satisfied with the filtered result, press ENTER (empty) back to the main menu.

select by numbers

This shows the files and directories to be deleted and issues an Select items to delete>> prompt. When the prompt ends with double >> like this, you can make more than one selection, concatenated with whitespace or comma. Also you can say ranges. E.g. 2-5 7,9 to choose 2,3,4,5,7,9 from the list. If the second number in a range is omitted, all remaining items are selected. E.g. 7- to choose 7,8,9 from the list. You can say * to choose everything. Also when you are satisfied with the filtered result, press ENTER (empty) back to the main menu.

ask each

This will start to clean, and you must confirm one by one in order to delete items. Please note that this action is not as efficient as the above two actions.

quit

This lets you quit without do cleaning.

help

Show brief usage of interactive git-clean.

SEE ALSO

[gitignore\(5\)](#)

GIT

Part of the [git\(1\)](#) suite