

NAME

git-sh-setup - Common Git shell script setup code

SYNOPSIS

. (git --exec-path)/git-sh-setup

DESCRIPTION

This is not a command the end user would want to run. Ever. This documentation is meant for people who are studying the Porcelain-ish scripts and/or are writing new ones.

The *git sh-setup* scriptlet is designed to be sourced (using *.*) by other shell scripts to set up some variables pointing at the normal Git directories and a few helper shell functions.

Before sourcing it, your script should set up a few variables; *USAGE* (and *LONG_USAGE*, if any) is used to define message given by *usage()* shell function. *SUBDIRECTORY_OK* can be set if the script can run from a subdirectory of the working tree (some commands do not).

The scriptlet sets *GIT_DIR* and *GIT_OBJECT_DIRECTORY* shell variables, but does **not** export them to the environment.

FUNCTIONS

die

exit after emitting the supplied error message to the standard error stream.

usage

die with the usage message.

set_reflog_action

Set *GIT_REFLOG_ACTION* environment to a given string (typically the name of the program) unless it is already set. Whenever the script runs a git command that updates refs, a reflog entry is created using the value of this string to leave the record of what command updated the ref.

git_editor

runs an editor of user's choice (*GIT_EDITOR*, *core.editor*, *VISUAL* or *EDITOR*) on a given file, but error out if no editor is specified and the terminal is dumb.

is_bare_repository

outputs true or false to the standard output stream to indicate if the repository is a bare repository (i.e. without an associated working tree).

cd_to_toplevel

runs *chdir* to the toplevel of the working tree.

require_work_tree

checks if the current directory is within the working tree of the repository, and otherwise dies.

require_work_tree_exists

checks if the working tree associated with the repository exists, and otherwise dies. Often done before calling *cd_to_toplevel*, which is impossible to do if there is no working tree.

require_clean_work_tree <action> [<hint>]

checks that the working tree and index associated with the repository have no uncommitted changes to tracked files. Otherwise it emits an error message of the form *Cannot <action>: <reason>. <hint>*, and dies. Example:

```
require_clean_work_tree rebase Please commit or stash them.
```

get_author_ident_from_commit

outputs code for use with *eval* to set the *GIT_AUTHOR_NAME*, *GIT_AUTHOR_EMAIL* and *GIT_AUTHOR_DATE* variables for a given commit.

create_virtual_base

modifies the first file so only lines in common with the second file remain. If there is insufficient common material, then the first file is left empty. The result is suitable as a virtual base input for a 3-way merge.

GIT

Part of the [git\(1\)](#) suite