

NAME

ifnames - Extract CPP conditionals from a set of files

SYNOPSIS

ifnames [*OPTION*]... [*FILE*]...

DESCRIPTION

Scan all of the C source FILES (or the standard input, if none are given) and write to the standard output a sorted list of all the identifiers that appear in those files in ‘#if’, ‘#elif’, ‘#ifdef’, or ‘#ifndef’ directives. Print each identifier on a line, followed by a space-separated list of the files in which that identifier occurs.

-h, --help

print this help, then exit

-V, --version

print version number, then exit

AUTHOR

Written by David J. MacKenzie and Paul Eggert.

REPORTING BUGS

Report bugs to <bug-autoconf@gnu.org>.

GNU Autoconf home page: <<http://www.gnu.org/software/autoconf/>>.

General help using GNU software: <<http://www.gnu.org/gethelp/>>.

COPYRIGHT

Copyright 2012 Free Software Foundation, Inc. License GPLv3+/Autoconf: GNU GPL version 3 or later <<http://gnu.org/licenses/gpl.html>>, <<http://gnu.org/licenses/exceptions.html>>

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

[autoconf\(1\)](#), [automake\(1\)](#), [autoreconf\(1\)](#), [autoupdate\(1\)](#), [autoheader\(1\)](#), [autoscan\(1\)](#), [config.guess\(1\)](#), [config.sub\(1\)](#), [ifnames\(1\)](#), [libtool\(1\)](#).

The full documentation for **ifnames** is maintained as a Texinfo manual. If the **info** and **ifnames** programs are properly installed at your site, the command

info ifnames

should give you access to the complete manual.