

**NAME**

join - join lines of two files on a common field

**SYNOPSIS**

**join** [*OPTION*]... *FILE1 FILE2*

**DESCRIPTION**

For each pair of input lines with identical join fields, write a line to standard output. The default join field is the first, delimited by whitespace. When *FILE1* or *FILE2* (not both) is -, read standard input.

**-a FILENUM**

also print unpairable lines from file *FILENUM*, where *FILENUM* is 1 or 2, corresponding to *FILE1* or *FILE2*

**-e EMPTY**

replace missing input fields with *EMPTY*

**-i, --ignore-case**

ignore differences in case when comparing fields

**-j FIELD**

equivalent to '-1 *FIELD* -2 *FIELD*'

**-o FORMAT**

obey *FORMAT* while constructing output line

**-t CHAR**

use *CHAR* as input and output field separator

**-v FILENUM**

like **-a** *FILENUM*, but suppress joined output lines

**-1 FIELD**

join on this *FIELD* of file 1

**-2 FIELD**

join on this *FIELD* of file 2

**--check-order**

check that the input is correctly sorted, even if all input lines are pairable

**--nocheck-order**

do not check that the input is correctly sorted

**--header**

treat the first line in each file as field headers, print them without trying to pair them

**-z, --zero-terminated**

line delimiter is NUL, not newline

**--help** display this help and exit**--version**

output version information and exit

Unless **-t** *CHAR* is given, leading blanks separate fields and are ignored, else fields are separated by *CHAR*. Any *FIELD* is a field number counted from 1. *FORMAT* is one or more comma or blank separated specifications, each being '*FILENUM.FIELD*' or '0'. Default *FORMAT* outputs the join field, the remaining fields from *FILE1*, the remaining fields from *FILE2*, all separated by *CHAR*. If *FORMAT* is the keyword 'auto', then the first line of each file determines the number of fields output for each line.

Important: *FILE1* and *FILE2* must be sorted on the join fields. E.g., use sort **-k** 1b,1 if 'join' has no options, or use join **-t** ' ' if 'sort' has no options. Note, comparisons honor the rules specified by 'LC\_COLLATE'. If the input is not sorted and some lines cannot be joined, a warning

message will be given.

**AUTHOR**

Written by Mike Haertel.

**REPORTING BUGS**

GNU coreutils online help: <<http://www.gnu.org/software/coreutils/>>

Report join translation bugs to <<http://translationproject.org/team/>>

**COPYRIGHT**

Copyright 2014 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<http://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

**SEE ALSO**

[comm\(1\)](#), [uniq\(1\)](#)

Full documentation at: <<http://www.gnu.org/software/coreutils/join>>  
or available locally via: info (coreutils) join invocation