

NAME

md5sum - compute and check MD5 message digest

SYNOPSIS

md5sum [*OPTION*]... [*FILE*]...

DESCRIPTION

Print or check MD5 (128-bit) checksums. With no FILE, or when FILE is -, read standard input.

-b, --binary

read in binary mode

-c, --check

read MD5 sums from the FILEs and check them

--tag create a BSD-style checksum

-t, --text

read in text mode (default)

The following four options are useful only when verifying checksums:

--quiet

don't print OK for each successfully verified file

--status

don't output anything, status code shows success

--strict

exit non-zero for improperly formatted checksum lines

-w, --warn

warn about improperly formatted checksum lines

--help display this help and exit

--version

output version information and exit

The sums are computed as described in RFC 1321. When checking, the input should be a former output of this program. The default mode is to print a line with checksum, a character indicating input mode ('*' for binary, space for text), and name for each FILE.

BUGS

The MD5 algorithm should not be used any more for security related purposes. Instead, better use an SHA-2 algorithm, implemented in the programs [sha224sum\(1\)](#), [sha256sum\(1\)](#), [sha384sum\(1\)](#), [sha512sum\(1\)](#)

AUTHOR

Written by Ulrich Drepper, Scott Miller, and David Madore.

REPORTING BUGS

GNU coreutils online help: <<http://www.gnu.org/software/coreutils/>>

Report md5sum translation bugs to <<http://translationproject.org/team/>>

COPYRIGHT

Copyright 2014 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<http://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

Full documentation at: <<http://www.gnu.org/software/coreutils/md5sum>>
or available locally via: info (coreutils) md5sum invocation