

NAME

wall - write a message to all users

SYNOPSIS

wall [-n] [-t *timeout*] [*message* | *file*]

DESCRIPTION

wall displays a *message*, or the contents of a *file*, or otherwise its standard input, on the terminals of all currently logged in users. The command will wrap lines that are longer than 79 characters. Short lines are whitespace padded to have 79 characters. The command will always put a carriage return and new line at the end of each line.

Only the superuser can write on the terminals of users who have chosen to deny messages or are using a program which automatically denies messages.

Reading from a *file* is refused when the invoker is not superuser and the program is set-user-ID or set-group-ID.

OPTIONS

-n, --nobanner

Suppress the banner.

-t, --timeout *timeout*

Abandon the write attempt to the terminals after *timeout* seconds. This *timeout* must be a positive integer. The default value is 300 seconds, which is a legacy from the time when people ran terminals over modem lines.

-V, --version

Display version information and exit.

-h, --help

Display help text and exit.

NOTES

Some sessions, such as wdm, that have in the beginning of [utmp\(5\)](#) ut_type data a ':' character will not get the message from **wall**. This is done to avoid write errors.

SEE ALSO

[msg\(1\)](#), [talk\(1\)](#), [write\(1\)](#), [shutdown\(8\)](#)

HISTORY

A **wall** command appeared in Version 7 AT&T UNIX.

AVAILABILITY

The wall command is part of the util-linux package and is available from [Linux Kernel Archive](#).