

NAME

execve - execute program

SYNOPSIS

```
#include <unistd.h>
```

```
int execve(const char *filename, char *const argv[],
           char *const envp[]);
```

DESCRIPTION

execve() executes the program pointed to by *filename*. *filename* must be either a binary executable, or a script starting with a line of the form:

```
#! interpreter [optional-arg]
```

For details of the latter case, see Interpreter scripts below.

argv is an array of argument strings passed to the new program. By convention, the first of these strings should contain the filename associated with the file being executed. *envp* is an array of strings, conventionally of the form **key=value**, which are passed as environment to the new program. Both *gv* and *envp* must be terminated by a null pointer. The argument vector and environment can be accessed by the called program's main function, when it is defined as:

```
int main(int argc, char *argv[], char *envp[])
```

execve() does not return on success, and the text, data, bss, and stack of the calling process are overwritten by that of the program loaded.

If the current program is being ptraced, a **SIGTRAP** is sent to it after a successful **execve()**.

If the set-user-ID bit is set on the program file pointed to by *filename*, and the underlying filesystem is not mounted *nosuid* (the **MS_NOSUID** flag for [mount\(2\)](#)), and the calling process is not being ptraced, then the effective user ID of the calling process is changed to that of the owner of the program file. Similarly, when the set-group-ID bit of the program file is set the effective group ID of the calling process is set to the group of the program file.

The effective user ID of the process is copied to the saved set-user-ID; similarly, the effective group ID is copied to the saved set-group-ID. This copying takes place after any effective ID changes that occur because of the set-user-ID and set-group-ID permission bits.

If the executable is an a.out dynamically linked binary executable containing shared-library stubs, the Linux dynamic linker [ld.so\(8\)](#) is called at the start of execution to bring needed shared libraries into memory and link the executable with them.

If the executable is a dynamically linked ELF executable, the interpreter named in the PT_INTERP segment is used to load the needed shared libraries. This interpreter is typically */lib/ld-linux.so.2* for binaries linked with glibc.

All process attributes are preserved during an **execve()**, except the following:

- * The dispositions of any signals that are being caught are reset to the default ([signal\(7\)](#)).
- * Any alternate signal stack is not preserved ([sigaltstack\(2\)](#)).
- * Memory mappings are not preserved ([mmap\(2\)](#)).
- * Attached System V shared memory segments are detached ([shmat\(2\)](#)).
- * POSIX shared memory regions are unmapped ([shm_open\(3\)](#)).
- * Open POSIX message queue descriptors are closed ([mq_overview\(7\)](#)).
- * Any open POSIX named semaphores are closed ([sem_overview\(7\)](#)).
- * POSIX timers are not preserved ([timer_create\(2\)](#)).

- * Any open directory streams are closed ([opendir\(3\)](#)).
- * Memory locks are not preserved ([mlock\(2\)](#), [mlockall\(2\)](#)).
- * Exit handlers are not preserved ([atexit\(3\)](#), [on_exit\(3\)](#)).
- * The floating-point environment is reset to the default (see [fenv\(3\)](#)).

The process attributes in the preceding list are all specified in POSIX.1-2001. The following Linux-specific process attributes are also not preserved during an `execve()`:

- * The [prctl\(2\)](#) `PR_SET_DUMPABLE` flag is set, unless a set-user-ID or set-group ID program is being executed, in which case it is cleared.
- * The [prctl\(2\)](#) `PR_SET_KEEPCAPS` flag is cleared.
- * (Since Linux 2.4.36 / 2.6.23) If a set-user-ID or set-group-ID program is being executed, then the parent death signal set by [prctl\(2\)](#) `PR_SET_PDEATHSIG` flag is cleared.
- * The process name, as set by [prctl\(2\)](#) `PR_SET_NAME` (and displayed by `ps -o comm`), is reset to the name of the new executable file.
- * The `SECBIT_KEEP_CAPS` *securebits* flag is cleared. See [capabilities\(7\)](#).
- * The termination signal is reset to `SIGCHLD` (see [clone\(2\)](#)).

Note the following further points:

- * All threads other than the calling thread are destroyed during an `execve()`. Mutexes, condition variables, and other pthreads objects are not preserved.
- * The equivalent of `setlocale(LC_ALL, C)` is executed at program start-up.
- * POSIX.1-2001 specifies that the dispositions of any signals that are ignored or set to the default are left unchanged. POSIX.1-2001 specifies one exception: if `SIGCHLD` is being ignored, then an implementation may leave the disposition unchanged or reset it to the default; Linux does the former.
- * Any outstanding asynchronous I/O operations are canceled ([aio_read\(3\)](#), [aio_write\(3\)](#)).
- * For the handling of capabilities during `execve()`, see [capabilities\(7\)](#).
- * By default, file descriptors remain open across an `execve()`. File descriptors that are marked close-on-exec are closed; see the description of `FD_CLOEXEC` in [fcntl\(2\)](#). (If a file descriptor is closed, this will cause the release of all record locks obtained on the underlying file by this process. See [fcntl\(2\)](#) for details.) POSIX.1-2001 says that if file descriptors 0, 1, and 2 would otherwise be closed after a successful `execve()`, and the process would gain privilege because the set-user_ID or set-group_ID permission bit was set on the executed file, then the system may open an unspecified file for each of these file descriptors. As a general principle, no portable program, whether privileged or not, can assume that these three file descriptors will remain closed across an `execve()`.

Interpreter scripts

An interpreter script is a text file that has execute permission enabled and whose first line is of the form:

```
#! interpreter [optional-arg]
```

The *interpreter* must be a valid pathname for an executable which is not itself a script. If the *filename* argument of `execve()` specifies an interpreter script, then *interpreter* will be invoked with the following arguments:

```
interpreter [optional-arg] filename arg...
```

where *arg...* is the series of words pointed to by the *argv* argument of `execve()`, starting at *argv[1]*.

For portable use, *optional-arg* should either be absent, or be specified as a single word (i.e., it

should not contain white space); see NOTES below.

Limits on size of arguments and environment

Most UNIX implementations impose some limit on the total size of the command-line argument (*argv*) and environment (*envp*) strings that may be passed to a new program. POSIX.1 allows an implementation to advertise this limit using the **ARG_MAX** constant (either defined in *<limits.h>* or available at run time using the call *sysconf(_SC_ARG_MAX)*).

On Linux prior to kernel 2.6.23, the memory used to store the environment and argument strings was limited to 32 pages (defined by the kernel constant **MAX_ARG_PAGES**). On architectures with a 4-kB page size, this yields a maximum size of 128 kB.

On kernel 2.6.23 and later, most architectures support a size limit derived from the soft **RLIMIT_STACK** resource limit (see [getrlimit\(2\)](#)) that is in force at the time of the **execve()** call. (Architectures with no memory management unit are excepted: they maintain the limit that was in effect before kernel 2.6.23.) This change allows programs to have a much larger argument and/or environment list. For these architectures, the total size is limited to 1/4 of the allowed stack size. (Imposing the 1/4-limit ensures that the new program always has some stack space.) Since Linux 2.6.25, the kernel places a floor of 32 pages on this size limit, so that, even when **RLIMIT_STACK** is set very low, applications are guaranteed to have at least as much argument and environment space as was provided by Linux 2.6.23 and earlier. (This guarantee was not provided in Linux 2.6.23 and 2.6.24.) Additionally, the limit per string is 32 pages (the kernel constant **MAX_ARG_STRLEN**), and the maximum number of strings is 0x7FFFFFFF.

RETURN VALUE

On success, **execve()** does not return, on error -1 is returned, and *errno* is set appropriately.

ERRORS

E2BIG

The total number of bytes in the environment (*envp*) and argument list (*argv*) is too large.

EACCES

Search permission is denied on a component of the path prefix of *filename* or the name of a script interpreter. (See also [path_resolution\(7\)](#).)

EACCES

The file or a script interpreter is not a regular file.

EACCES

Execute permission is denied for the file or a script or ELF interpreter.

EACCES

The filesystem is mounted *noexec*.

EAGAIN (since Linux 3.1)

Having changed its real UID using one of the **set*uid()** calls, the caller was—and is now still—above its **RLIMIT_NPROC** resource limit (see [setrlimit\(2\)](#)). For a more detailed explanation of this error, see NOTES.

EFAULT

filename or one of the pointers in the vectors *argv* or *envp* points outside your accessible address space.

EINVAL

An ELF executable had more than one PT_INTERP segment (i.e., tried to name more than one interpreter).

EIO

An I/O error occurred.

EISDIR

An ELF interpreter was a directory.

ELIBBAD

An ELF interpreter was not in a recognized format.

ELOOP

Too many symbolic links were encountered in resolving *filename* or the name of a script or ELF interpreter.

EMFILE

The process has the maximum number of files open.

ENAMETOOLONG

filename is too long.

ENFILE

The system limit on the total number of open files has been reached.

ENOENT

The file *filename* or a script or ELF interpreter does not exist, or a shared library needed for file or interpreter cannot be found.

ENOEXEC

An executable is not in a recognized format, is for the wrong architecture, or has some other format error that means it cannot be executed.

ENOMEM

Insufficient kernel memory was available.

ENOTDIR

A component of the path prefix of *filename* or a script or ELF interpreter is not a directory.

EPERM

The filesystem is mounted *nosuid*, the user is not the superuser, and the file has the set-user-ID or set-group-ID bit set.

EPERM

The process is being traced, the user is not the superuser and the file has the set-user-ID or set-group-ID bit set.

ETXTBSY

Executable was open for writing by one or more processes.

CONFORMING TO

SVr4, 4.3BSD, POSIX.1-2001. POSIX.1-2001 does not document the `#!` behavior but is otherwise compatible.

NOTES

Set-user-ID and set-group-ID processes can not be [ptrace\(2\)](#)d.

The result of mounting a filesystem *nosuid* varies across Linux kernel versions: some will refuse execution of set-user-ID and set-group-ID executables when this would give the user powers she did not have already (and return **EPERM**), some will just ignore the set-user-ID and set-group-ID bits and `exec()` successfully. On Linux, *argv* and *envp* can be specified as `NULL`. In both cases, this has the same effect as specifying the argument as a pointer to a list containing a single null pointer. **Do not take advantage of this misfeature!** It is nonstandard and nonportable: on most other UNIX systems doing this will result in an error (**EFAULT**).

POSIX.1-2001 says that values returned by [sysconf\(3\)](#) should be invariant over the lifetime of a process. However, since Linux 2.6.23, if the **RLIMIT_STACK** resource limit changes, then the value reported by **_SC_ARG_MAX** will also change, to reflect the fact that the limit on space for holding command-line arguments and environment variables has changed.

In most cases where `execve()` fails, control returns to the original executable image, and the caller of `execve()` can then handle the error. However, in (rare) cases (typically caused by resource

exhaustion), failure may occur past the point of no return: the original executable image has been torn down, but the new image could not be completely built. In such cases, the kernel kills the process with a **SIGKILL** signal.

Interpreter scripts

A maximum line length of 127 characters is allowed for the first line in an interpreter script.

The semantics of the *optional-arg* argument of an interpreter script vary across implementations. On Linux, the entire string following the *interpreter* name is passed as a single argument to the interpreter, and this string can include white space. However, behavior differs on some other systems. Some systems use the first white space to terminate *optional-arg*. On some systems, an interpreter script can have multiple arguments, and white spaces in *optional-arg* are used to delimit the arguments.

Linux ignores the set-user-ID and set-group-ID bits on scripts.

execve() and EAGAIN

A more detailed explanation of the **EAGAIN** error that can occur (since Linux 3.1) when calling **execve()** is as follows.

The **EAGAIN** error can occur when a *preceding* call to **setuid(2)**, **setreuid(2)**, or **setresuid(2)** caused the real user ID of the process to change, and that change caused the process to exceed its **RLIMIT_NPROC** resource limit (i.e., the number of processes belonging to the new real UID exceeds the resource limit). From Linux 2.6.0 to 3.0, this caused the **set*uid()** call to fail. (Prior to 2.6, the resource limit was not imposed on processes that changed their user IDs.)

Since Linux 3.1, the scenario just described no longer causes the **set*uid()** call to fail, because it too often led to security holes where buggy applications didn't check the return status and assumed that—if the caller had root privileges—the call would always succeed. Instead, the **set*uid()** calls now successfully change the real UID, but the kernel sets an internal flag, named **PF_NPROC_EXCEEDED**, to note that the **RLIMIT_NPROC** resource limit has been exceeded. If the **PF_NPROC_EXCEEDED** flag is set and the resource limit is still exceeded at the time of a subsequent **execve()** call, that call fails with the error **EAGAIN**. This kernel logic ensures that the **RLIMIT_NPROC** resource limit is still enforced for the common privileged daemon workflow—namely, **fork(2)** + **set*uid()** + **execve()**.

If the resource limit was not still exceeded at the time of the **execve()** call (because other processes belonging to this real UID terminated between the **set*uid()** call and the **execve()** call), then the **execve()** call succeeds and the kernel clears the **PF_NPROC_EXCEEDED** process flag. The flag is also cleared if a subsequent call to **fork(2)** by this process succeeds.

Historical

With UNIX V6, the argument list of an **exec()** call was ended by 0, while the argument list of *main* was ended by -1. Thus, this argument list was not directly usable in a further **exec()** call. Since UNIX V7, both are NULL.

EXAMPLE

The following program is designed to be execed by the second program below. It just echoes its command-line arguments, one per line.

```
/* myecho.c */
#include <stdio.h>
#include <stdlib.h>

int
main(int argc, char *argv[])
{
    int j;

    for (j = 0; j < argc; j++)
```

```
printf(argv[%d]: %sn, j, argv[j]);
exit(EXIT_SUCCESS);
}
```

This program can be used to exec the program named in its command-line argument:

```
/* execve.c */
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>

int
main(int argc, char *argv[])
{
char *newargv[] = { NULL, hello, world, NULL };
char *newenviron[] = { NULL };

if (argc != 2) {
fprintf(stderr, Usage: %s <file-to-exec>n, argv[0]);
exit(EXIT_FAILURE);
}

newargv[0] = argv[1];

execve(argv[1], newargv, newenviron);
perror(execve); /* execve() only returns on error */
exit(EXIT_FAILURE);
}
```

We can use the second program to exec the first as follows:

```
$ cc myecho.c -o myecho
$ cc execve.c -o execve
$ ./execve ./myecho
argv[0]: ./myecho
argv[1]: hello
argv[2]: world
```

We can also use these programs to demonstrate the use of a script interpreter. To do this we create a script whose interpreter is our *myecho* program:

```
$ cat > script
#!/./myecho script-arg
^D
$ chmod +x script
```

We can then use our program to exec the script:

```
$ ./execve ./script
argv[0]: ./myecho
argv[1]: script-arg
argv[2]: ./script
argv[3]: hello
argv[4]: world
```

SEE ALSO

[chmod\(2\)](#), [fork\(2\)](#), [ptrace\(2\)](#), [execl\(3\)](#), [fexecve\(3\)](#), [getopt\(3\)](#), [credentials\(7\)](#), [environ\(7\)](#), [path_resolution\(7\)](#), [ld.so\(8\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.