

**NAME**

`aiio_return` - get return status of asynchronous I/O operation

**SYNOPSIS**

```
#include <aiio.h>
```

```
ssize_t aiio_return(struct aiio_cb *aiio_cbp);
```

Link with `-lrt`.

**DESCRIPTION**

The `aiio_return()` function returns the final return status for the asynchronous I/O request with control block pointed to by `aiio_cbp`. (See [aiio\(7\)](#) for a description of the `aiio_cb` structure.)

This function should be called only once for any given request, after [aiio\\_error\(3\)](#) returns something other than `EINPROGRESS`.

**RETURN VALUE**

If the asynchronous I/O operation has completed, this function returns the value that would have been returned in case of a synchronous [read\(2\)](#), [write\(2\)](#), [fsync\(2\)](#) or [fdatasync\(2\)](#), call.

If the asynchronous I/O operation has not yet completed, the return value and effect of `aiio_return()` are undefined.

**ERRORS****EINVAL**

`aiio_cbp` does not point at a control block for an asynchronous I/O request of which the return status has not been retrieved yet.

**ENOSYS**

`aiio_return()` is not implemented.

**VERSIONS**

The `aiio_return()` function is available since glibc 2.1.

**ATTRIBUTES****Multithreading (see [pthread\(7\)](#))**

The `aiio_return()` function is thread-safe.

**CONFORMING TO**

POSIX.1-2001, POSIX.1-2008.

**EXAMPLE**

See [aiio\(7\)](#).

**SEE ALSO**

[aiio\\_cancel\(3\)](#), [aiio\\_error\(3\)](#), [aiio\\_fsync\(3\)](#), [aiio\\_read\(3\)](#), [aiio\\_suspend\(3\)](#), [aiio\\_write\(3\)](#), [lio\\_listio\(3\)](#), [aiio\(7\)](#)

**COLOPHON**

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.