NAME

atan2, atan2f, atan2l - arc tangent function of two variables

SYNOPSIS

```
#include <math.h> double atan2(double y, double x); float atan2f(float y, float x); long double atan2l(long double y, long double x); Link with -lm.
```

Feature Test Macro Requirements for glibc (see feature test macros(7)):

DESCRIPTION

The **atan2**() function calculates the principal value of the arc tangent of y/x, using the signs of the two arguments to determine the quadrant of the result.

RETURN VALUE

On success, these functions return the principal value of the arc tangent of y/x in radians; the return value is in the range [-pi, pi].

If y is +0 (-0) and x is less than 0, +pi (-pi) is returned.

If y is +0 (-0) and x is greater than 0, +0 (-0) is returned.

If y is less than 0 and x is +0 or -0, -pi/2 is returned.

If y is greater than 0 and x is +0 or -0, pi/2 is returned.

If either x or y is NaN, a NaN is returned.

If y is +0 (-0) and x is -0, +pi (-pi) is returned.

If y is +0 (-0) and x is +0, +0 (-0) is returned.

If y is a finite value greater (less) than 0, and x is negative infinity, +pi (-pi) is returned.

If y is a finite value greater (less) than 0, and x is positive infinity, +0 (-0) is returned.

If y is positive infinity (negative infinity), and x is finite, pi/2 (-pi/2) is returned.

If y is positive infinity (negative infinity) and x is negative infinity, +3*pi/4 (-3*pi/4) is returned.

If y is positive infinity (negative infinity) and x is positive infinity, +pi/4 (-pi/4) is returned.

ERRORS

No errors occur.

CONFORMING TO

C99, POSIX.1-2001. The variant returning double also conforms to SVr4, 4.3BSD, C89.

SEE ALSO

```
acos(3), asin(3), atan(3), carg(3), cos(3), sin(3), tan(3)
```

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at http://www.kernel.org/doc/man-pages/.

2010-09-20