

NAME

`ecvt`, `fcvt` - convert a floating-point number to a string

SYNOPSIS

```
#include <stdlib.h>
```

```
char *ecvt(double number, int ndigits, int *decpt, int *sign);
```

```
char *fcvt(double number, int ndigits, int *decpt, int *sign);
```

Feature Test Macro Requirements for glibc (see [feature_test_macros\(7\)](#)):

`ecvt()`, `fcvt()`:

Since glibc 2.12:

```
_SVID_SOURCE ||
(_XOPEN_SOURCE >= 500 ||
_XOPEN_SOURCE && _XOPEN_SOURCE_EXTENDED) &&
!(_POSIX_C_SOURCE >= 200112L || _XOPEN_SOURCE >= 600)
```

Before glibc 2.12:

```
_SVID_SOURCE || _XOPEN_SOURCE >= 500 ||
_XOPEN_SOURCE && _XOPEN_SOURCE_EXTENDED
```

DESCRIPTION

The `ecvt()` function converts *number* to a null-terminated string of *ndigits* digits (where *ndigits* is reduced to a system-specific limit determined by the precision of a *double*), and returns a pointer to the string. The high-order digit is nonzero, unless *number* is zero. The low order digit is rounded. The string itself does not contain a decimal point; however, the position of the decimal point relative to the start of the string is stored in **decpt*. A negative value for **decpt* means that the decimal point is to the left of the start of the string. If the sign of *number* is negative, **sign* is set to a nonzero value, otherwise it is set to 0. If *number* is zero, it is unspecified whether **decpt* is 0 or 1.

The `fcvt()` function is identical to `ecvt()`, except that *ndigits* specifies the number of digits after the decimal point.

RETURN VALUE

Both the `ecvt()` and `fcvt()` functions return a pointer to a static string containing the ASCII representation of *number*. The static string is overwritten by each call to `ecvt()` or `fcvt()`.

ATTRIBUTES

Multithreading (see [pthreads\(7\)](#))

The `ecvt()` and `fcvt()` functions are not thread-safe.

CONFORMING TO

SVr2; marked as LEGACY in POSIX.1-2001. POSIX.1-2008 removes the specifications of `ecvt()` and `fcvt()`, recommending the use of [sprintf\(3\)](#) instead (though [snprintf\(3\)](#) may be preferable).

NOTES

Not all locales use a point as the radix character (decimal point).

SEE ALSO

[ecvt_r\(3\)](#), [gcvt\(3\)](#), [qecvt\(3\)](#), [setlocale\(3\)](#), [sprintf\(3\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.