

NAME

`fexecve` - execute program specified via file descriptor

SYNOPSIS

```
#include <unistd.h>
```

```
int fexecve(int fd, char *const argv[], char *const envp[]);
```

Feature Test Macro Requirements for glibc (see [feature_test_macros\(7\)](#)):

`fexecve()`:

Since glibc 2.10:

```
_XOPEN_SOURCE >= 700 || _POSIX_C_SOURCE >= 200809L
```

Before glibc 2.10:

```
_GNU_SOURCE
```

DESCRIPTION

`fexecve()` performs the same task as [execve\(2\)](#), with the difference that the file to be executed is specified via a file descriptor, `fd`, rather than via a pathname. The file descriptor `fd` must be opened read-only, and the caller must have permission to execute the file that it refers to.

RETURN VALUE

A successful call to `fexecve()` never returns. On error, the function does return, with a result value of -1, and `errno` is set appropriately.

ERRORS

Errors are as for [execve\(2\)](#), with the following additions:

EINVAL

`fd` is not a valid file descriptor, or `argv` is NULL, or `envp` is NULL.

ENOSYS

The `/proc` filesystem could not be accessed.

VERSIONS

`fexecve()` is implemented since glibc 2.3.2.

CONFORMING TO

POSIX.1-2008. This function is not specified in POSIX.1-2001, and is not widely available on other systems. It is specified in POSIX.1-2008.

NOTES

On Linux, `fexecve()` is implemented using the [proc\(5\)](#) filesystem, so `/proc` needs to be mounted and available at the time of the call.

If `fd` is a file descriptor that refers to an interpreter script and has been marked as close-on-exec (see the discussion of the `FD_CLOEXEC` in [fcntl\(2\)](#)), `fexecve()` will fail to execute the script, since, by the time the script interpreter tries to access the script file, `fd` has already been closed.

The idea behind `fexecve()` is to allow the caller to verify (checksum) the contents of an executable before executing it. Simply opening the file, checksumming the contents, and then doing an [execve\(2\)](#) would not suffice, since, between the two steps, the filename, or a directory prefix of the pathname, could have been exchanged (by, for example, modifying the target of a symbolic link). `fexecve()` does not mitigate the problem that the *contents* of a file could be changed between the checksumming and the call to `fexecve()`; for that, the solution is to ensure that the permissions on the file prevent it from being modified by malicious users.

SEE ALSO

[execve\(2\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.