

NAME

fgetgrent - get group file entry

SYNOPSIS

```
#include <stdio.h>
#include <sys/types.h>
#include <grp.h>
```

```
struct group *fgetgrent(FILE *stream);
```

Feature Test Macro Requirements for glibc (see [feature_test_macros\(7\)](#)):

```
fgetgrent(): _SVID_SOURCE
```

DESCRIPTION

The **fgetgrent()** function returns a pointer to a structure containing the group information from the file referred to by *stream*. The first time it is called it returns the first entry; thereafter, it returns successive entries. The file referred to by *stream* must have the same format as */etc/group* (see [group\(5\)](#)).

The *group* structure is defined in *<grp.h>* as follows:

```
struct group {
    char *gr_name; /* group name */
    char *gr_passwd; /* group password */
    gid_t gr_gid; /* group ID */
    char **gr_mem; /* NULL-terminated array of pointers
to names of group members */
};
```

RETURN VALUE

The **fgetgrent()** function returns a pointer to a *group* structure, or NULL if there are no more entries or an error occurs. In the event of an error, *errno* is set to indicate the cause.

ERRORS**ENOMEM**

Insufficient memory to allocate *group* structure.

CONFORMING TO

SVr4.

SEE ALSO

[endgrent\(3\)](#), [fgetgrent_r\(3\)](#), [fopen\(3\)](#), [getgrent\(3\)](#), [getgrgid\(3\)](#), [getgrnam\(3\)](#), [putgrent\(3\)](#), [setgrent\(3\)](#), [group\(5\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.