

NAME

getenv, secure_getenv - get an environment variable

SYNOPSIS

```
#include <stdlib.h>
```

```
char *getenv(const char *name);
```

```
char *secure_getenv(const char *name);
```

Feature Test Macro Requirements for glibc (see [feature_test_macros\(7\)](#)):

```
secure_getenv(): _GNU_SOURCE
```

DESCRIPTION

The **getenv()** function searches the environment list to find the environment variable *name*, and returns a pointer to the corresponding *value* string.

The GNU-specific **secure_getenv()** function is just like **getenv()** except that it returns NULL in cases where secure execution is required. Secure execution is required if one of the following conditions was true when the program run by the calling process was loaded:

- * the process's effective user ID did not match its real user ID or the process's effective group ID did not match its real group ID (typically this is the result of executing a set-user-ID or set-group-ID program);
- * the effective capability bit was set on the executable file; or
- * the process has a nonempty permitted capability set.

Secure execution may also required if triggered by some Linux security modules.

The **secure_getenv()** function is intended for use in general-purpose libraries to avoid vulnerabilities that could occur if set-user-ID or set-group-ID programs accidentally trusted the environment.

RETURN VALUE

The **getenv()** function returns a pointer to the value in the environment, or NULL if there is no match.

VERSIONS

secure_getenv() first appeared in glibc 2.17.

CONFORMING TO

getenv(): SVr4, POSIX.1-2001, 4.3BSD, C89, C99.

secure_getenv() is a GNU extension.

NOTES

The strings in the environment list are of the form *name=value*.

As typically implemented, **getenv()** returns a pointer to a string within the environment list. The caller must take care not to modify this string, since that would change the environment of the process.

The implementation of **getenv()** is not required to be reentrant. The string pointed to by the return value of **getenv()** may be statically allocated, and can be modified by a subsequent call to **getenv()**, [putenv\(3\)](#), [setenv\(3\)](#), or [unsetenv\(3\)](#).

The secure execution mode of **secure_getenv()** is controlled by the **AT_SECURE** flag contained in the auxiliary vector passed from the kernel to user space.

SEE ALSO

[clearenv\(3\)](#), [getauxval\(3\)](#), [putenv\(3\)](#), [setenv\(3\)](#), [unsetenv\(3\)](#), [capabilities\(7\)](#), [environ\(7\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.