

NAME

getpwent_r, fgetpwent_r - get passwd file entry reentrantly

SYNOPSIS

```
#include <pwd.h>
```

```
int getpwent_r(struct passwd *pwbuf, char *buf,
               size_t buflen, struct passwd **pwbufp);
```

```
int fgetpwent_r(FILE *fp, struct passwd *pwbuf, char *buf,
                size_t buflen, struct passwd **pwbufp);
```

Feature Test Macro Requirements for glibc (see [feature_test_macros\(7\)](#)):

```
getpwent_r(), _BSD_SOURCE || _SVID_SOURCE
fgetpwent_r(): _SVID_SOURCE
```

DESCRIPTION

The functions [getpwent_r\(\)](#) and [fgetpwent_r\(\)](#) are the reentrant versions of [getpwent\(3\)](#) and [fgetpwent\(3\)](#). The former reads the next passwd entry from the stream initialized by [setpwent\(3\)](#). The latter reads the next passwd entry from the stream *fp*.

The *passwd* structure is defined in *<pwd.h>* as follows:

```
struct passwd {
    char *pw_name; /* username */
    char *pw_passwd; /* user password */
    uid_t pw_uid; /* user ID */
    gid_t pw_gid; /* group ID */
    char *pw_gecos; /* user information */
    char *pw_dir; /* home directory */
    char *pw_shell; /* shell program */
};
```

For more information about the fields of this structure, see [passwd\(5\)](#).

The nonreentrant functions return a pointer to static storage, where this static storage contains further pointers to user name, password, gecons field, home directory and shell. The reentrant functions described here return all of that in caller-provided buffers. First of all there is the buffer *pwbuf* that can hold a *struct passwd*. And next the *bufferbuf* of size *buflen* that can hold additional strings. The result of these functions, the *struct passwd* read from the stream, is stored in the provided buffer **pwbuf*, and a pointer to this *struct passwd* is returned in **pwbufp*.

RETURN VALUE

On success, these functions return 0 and **pwbufp* is a pointer to the *struct passwd*. On error, these functions return an error value and **pwbufp* is NULL.

ERRORS**ENOENT**

No more entries.

ERANGE

Insufficient buffer space supplied. Try again with larger buffer.

CONFORMING TO

These functions are GNU extensions, done in a style resembling the POSIX version of functions like [getpwnam_r\(3\)](#). Other systems use prototype

```
struct passwd *
getpwent_r(struct passwd *pwd, char *buf, int buflen);
```

or, better,

```
int
```

```
getpwent_r(struct passwd *pwd, char *buf, int buflen,  
FILE **pw_fp);
```

NOTES

The function `getpwent_r()` is not really reentrant since it shares the reading position in the stream with all other threads.

EXAMPLE

```
#define _GNU_SOURCE  
#include <pwd.h>  
#include <stdio.h>  
#define BUFLLEN 4096  
  
int  
main(void)  
{  
    struct passwd pw, *pwp;  
    char buf[BUFLLEN];  
    int i;  
  
    setpwent();  
    while (1) {  
        i = getpwent_r(&pw, buf, BUFLLEN, &pwp);  
        if (i)  
            break;  
        printf("%s (%d)tHOME %stSHELL %sn, pwp->pw_name,  
pwp->pw_uid, pwp->pw_dir, pwp->pw_shell);  
    }  
    endpwent();  
    exit(EXIT_SUCCESS);  
}
```

SEE ALSO

[fgetpwent\(3\)](#), [getpw\(3\)](#), [getpwent\(3\)](#), [getpwnam\(3\)](#), [getpwuid\(3\)](#), [putpwent\(3\)](#), [passwd\(5\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.