

NAME

`if_nametoindex`, `if_indextoname` - mappings between network interface names and indexes

SYNOPSIS

```
#include <net/if.h>
```

```
unsigned int if_nametoindex(const char *ifname);
```

```
char *if_indextoname(unsigned int ifindex, char *ifname);
```

DESCRIPTION

The `if_nametoindex()` function returns the index of the network interface corresponding to the name *ifname*.

The `if_indextoname()` function returns the name of the network interface corresponding to the interface index *ifindex*. The name is placed in the buffer pointed to by *ifname*. The buffer must allow for the storage of at least **IF_NAMESIZE** bytes.

RETURN VALUE

On success, `if_nametoindex()` returns the index number of the network interface; on error, 0 is returned and *errno* is set appropriately.

On success, `if_indextoname()` returns *ifname*; on error, NULL is returned and *errno* is set appropriately.

ERRORS

`if_indextoname()` may fail and set *errno* if:

ENXIO

No interface found for the index.

`if_nametoindex()` and `if_indextoname()` may also fail for any of the errors specified for [socket\(2\)](#) or [ioctl\(2\)](#).

ATTRIBUTES**Multithreading (see [pthreads\(7\)](#))**

The `if_nametoindex()` and `if_indextoname()` functions are thread-safe.

CONFORMING TO

RFC 3493, POSIX.1-2001.

This function first appeared in BSDi.

SEE ALSO

[getifaddrs\(3\)](#), [if_nameindex\(3\)](#), [ifconfig\(8\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.