

NAME

`div`, `ldiv`, `lldiv`, `imaxdiv` - compute quotient and remainder of an integer division

SYNOPSIS

```
#include <stdlib.h>
```

```
div_t div(int numerator, int denominator);
```

```
ldiv_t ldiv(long numerator, long denominator);
```

```
lldiv_t lldiv(long long numerator, long long denominator);
```

```
#include <inttypes.h>
```

```
imaxdiv_t imaxdiv(intmax_t numerator, intmax_t denominator);
```

Feature Test Macro Requirements for glibc (see [feature_test_macros\(7\)](#)):

```
lldiv():
```

```
  _XOPEN_SOURCE >= 600 || _ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L;  
  or cc -std=c99
```

DESCRIPTION

The `div()` function computes the value *numerator/denominator* and returns the quotient and remainder in a structure named *div_t* that contains two integer members (in unspecified order) named *quot* and *rem*. The quotient is rounded toward zero. The result satisfies *quot*denominator+rem = numerator*.

The `ldiv()`, `lldiv()`, and `imaxdiv()` functions do the same, dividing numbers of the indicated type and returning the result in a structure of the indicated name, in all cases with fields *quot* and *rem* of the same type as the function arguments.

RETURN VALUE

The *div_t* (etc.) structure.

ATTRIBUTES

Multithreading (see [pthreads\(7\)](#))

The `div()`, `ldiv()`, `lldiv()`, and `imaxdiv()` functions are thread-safe.

CONFORMING TO

SVr4, 4.3BSD, C89, C99. The functions `lldiv()` and `imaxdiv()` were added in C99.

EXAMPLE

After

```
div_t q = div(-5, 3);
```

the values *q.quot* and *q.rem* are -1 and -2, respectively.

SEE ALSO

[abs\(3\)](#), [remainder\(3\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.