

NAME

IO::Socket::UNIX - Object interface for AF_UNIX domain sockets

SYNOPSIS

```
use IO::Socket::UNIX;

my $SOCK_PATH = "$ENV{HOME}/unix-domain-socket-test.sock";

# Server:
my $server = IO::Socket::UNIX->new(
    Type => SOCK_STREAM(),
    Local => $SOCK_PATH,
    Listen => 1,
);

my $count = 1;
while (my $conn = $server->accept()) {
    $conn->print("Hello " . ($count++) . "\n");
}

# Client:
my $client = IO::Socket::UNIX->new(
    Type => SOCK_STREAM(),
    Peer => $SOCK_PATH,
);

# Now read and write from $client
```

DESCRIPTION

[IO::Socket::UNIX](#) provides an object interface to creating and using sockets in the AF_UNIX domain. It is built upon the [IO::Socket](#) interface and inherits all the methods defined by [IO::Socket](#).

CONSTRUCTOR

`new ([ARGS])`

Creates an [IO::Socket::UNIX](#) object, which is a reference to a newly created symbol (see the [Symbol](#) package). `new` optionally takes arguments, these arguments are in key-value pairs.

In addition to the key-value pairs accepted by [IO::Socket](#), [IO::Socket::UNIX](#) provides.

```
Type Type of socket (eg SOCK_STREAM or SOCK_DGRAM)
Local Path to local fifo
Peer Path to peer fifo
Listen Queue size for listen
```

If the constructor is only passed a single argument, it is assumed to be a `Peer` specification.

If the `Listen` argument is given, but false, the queue size will be set to 5.

METHODS

hostpath()

Returns the pathname to the fifo at the local end

peerpath()

Returns the pathanme to the fifo at the peer end

SEE ALSO

Socket, [IO::Socket](#)

AUTHOR

Graham Barr. Currently maintained by the Perl Porters. Please report all bugs to <perlbug@perl.org>.

COPYRIGHT

Copyright (c) 1996-8 Graham Barr <gbarr@pobox.com>. All rights reserved. This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.