

NAME

nfsmount.conf - Configuration file for NFS mounts

SYNOPSIS

Configuration file for NFS mounts that allows options to be set globally, per server or per mount point.

DESCRIPTION

The configuration file is made up of multiple sections followed by variables associated with that section. A section is defined by a string enclosed by [and] branches. Variables are assignment statements that assign values to particular variables using the = operator, as in **Proto=Tcp**. The variables that can be assigned are exactly the set of NFS specific mount options listed in [nfs\(5\)](#).

Sections are broken up into three basic categories: Global options, Server options and Mount Point options.

[**NFSMount_Global_Options**] - This statically named section defines all of the global mount options that can be applied to every NFS mount.

[**Server “Server_Name”**] - This section defines all the mount options that should be used on mounts to a particular NFS server. The “*Server_Name*” strings needs to be surrounded by ‘‘ and be an exact match of the server name used in the **mount** command.

[**MountPoint “Mount_Point”**] - This section defines all the mount options that should be used on a particular mount point. The “*Mount_Point*” string needs to be surrounded by ‘‘ and be an exact match of the mount point used in the **mount** command.

EXAMPLES

These are some example lines of how sections and variables are defined in the configuration file.

```
[ NFSMount_Global_Options ]
Proto=Tcp
```

The TCP/IPv4 protocol will be used on every NFS mount.

```
[ Server “nfsserver.foo.com” ]
rsize=32k
wsize=32k
proto=udp6
```

A 32k (32768 bytes) block size will be used as the read and write size on all mounts to the 'nfsserver.foo.com' server. UDP/IPv6 is the protocol to be used.

```
[ MountPoint “/export/home” ]
Background=True
```

All mounts to the '/export/home' export will be performed in the background (i.e. done asynchronously).

FILES

/etc/nfsmount.conf
Default NFS mount configuration file

SEE ALSO

[nfs\(5\)](#), [mount\(8\)](#),