

NAME

nsswitch.conf - Name Service Switch configuration file

DESCRIPTION

The Name Service Switch (NSS) configuration file, */etc/nsswitch.conf*, is used by the GNU C Library to determine the sources from which to obtain name-service information in a range of categories, and in what order. Each category of information is identified by a database name.

The file is plain ASCII text, with columns separated by spaces or tab characters. The first column specifies the database name. The remaining columns describe the order of sources to query and a limited set of actions that can be performed by lookup result.

The following databases are understood by the GNU C Library:

aliases	Mail aliases, used by getaliasent(3) and related functions.
ethers	Ethernet numbers.
group	Groups of users, used by getgrent(3) and related functions.
hosts	Host names and numbers, used by gethostbyname(3) and related functions.
initgroups	Supplementary group access list, used by getgrouplist(3) function.
netgroup	Network-wide list of hosts and users, used for access rules. C libraries before glibc 2.1 supported netgroups only over NIS.
networks	Network names and numbers, used by getnetent(3) and related functions.
passwd	User passwords, used by getpwent(3) and related functions.
protocols	Network protocols, used by getprotoent(3) and related functions.
publickey	Public and secret keys for Secure_RPC used by NFS and NIS+.
rpc	Remote procedure call names and numbers, used by getrpcbyname(3) and related functions.
services	Network services, used by getservent(3) and related functions.
shadow	Shadow user passwords, used by getspnam(3) and related functions.

Here is an example */etc/nsswitch.conf* file:

```
passwd:      compat
group:      compat
shadow:     compat

hosts:      dns [!UNAVAIL=return] files
networks:   nis [!NOTFOUND=return] files
ethers:     nis [!NOTFOUND=return] files
protocols:  nis [!NOTFOUND=return] files
rpc:        nis [!NOTFOUND=return] files
services:   nis [!NOTFOUND=return] files
```

The first column is the database name. The remaining columns specify:

- * One or more service specifications, for example, files, db, or nis. The order of the services on the line determines the order in which those services will be queried, in turn, until a result is found.
- * Optional actions to perform if a particular result is obtained from the preceding service, for example, [NOTFOUND=return].

The service specifications supported on your system depend on the presence of shared libraries, and are therefore extensible. Libraries called */lib/libnss_SERVICE.so.X* will provide the named *SERVICE*. On a standard installation, you can use files, db, nis, and nisplus. For the **hosts** database, you can additionally specify dns. For the **passwd**, **group**, and **shadow** databases, you

can additionally specify `compat` (see **Compatibility mode** below). The version number **X** may be 1 for glibc 2.0, or 2 for glibc 2.1 and later. On systems with additional libraries installed, you may have access to further services such as `hesiod`, `ldap`, `winbind` and `wins`.

An action may also be specified following a service specification. The action modifies the behavior following a result obtained from the preceding data source. Action items take the general form:

```
[STATUS=ACTION]  
[!STATUS=ACTION]
```

where

```
STATUS => success | notfound | unavail | tryagain  
ACTION => return | continue
```

The **!** negates the test, matching all possible results except the one specified. The case of the keywords is not significant.

The *STATUS* value is matched against the result of the lookup function called by the preceding service specification, and can be one of:

- success** No error occurred and the requested entry is returned. The default action for this condition is `return`.
- notfound** The lookup succeeded, but the requested entry was not found. The default action for this condition is `continue`.
- unavail** The service is permanently unavailable. This can mean either that the required file cannot be read, or, for network services, that the server is not available or does not allow queries. The default action for this condition is `continue`.
- tryagain** The service is temporarily unavailable. This could mean a file is locked or a server currently cannot accept more connections. The default action for this condition is `continue`.

The *ACTION* value can be one of:

- return** Return a result now. Do not call any further lookup functions. However, for compatibility reasons, if this is the selected action for the **group** database and the **notfound** status, and the configuration file does not contain the **initgroups** line, the next lookup function is always called, without affecting the search result.
- continue** Call the next lookup function.

Compatibility mode (`compat`)

The NSS `compat` service is similar to files except that it additionally permits special entries in `/etc/passwd` for granting users or members of netgroups access to the system. The following entries are valid in this mode:

- `+user` Include the specified *user* from the NIS `passwd` map.
- `+user:::` Include the specified *user* from the NIS `passwd` map, but override with non-empty `passwd` fields.
- `+@netgroup` Include all users in the given *netgroup*.
- `-user` Exclude the specified *user* from the NIS `passwd` map.
- `-@netgroup` Exclude all users in the given *netgroup*.
- `+` Include every user, except previously excluded ones, from the NIS `passwd` map.

By default the source is `nis`, but this may be overridden by specifying `nisplus` as the source for the pseudo-databases **passwd_compat**, **group_compat**, and **shadow_compat**.

FILES

A service named *SERVICE* is implemented by a shared object library named *libnss_SERVICE.so.X* that resides in */lib*.

<i>/etc/nsswitch.conf</i>	NSS configuration file.
<i>/lib/libnss_compat.so.X</i>	implements compat source.
<i>/lib/libnss_db.so.X</i>	implements db source.
<i>/lib/libnss_dns.so.X</i>	implements dns source.
<i>/lib/libnss_files.so.X</i>	implements files source.
<i>/lib/libnss_hesiod.so.X</i>	implements hesiod source.
<i>/lib/libnss_nis.so.X</i>	implements nis source.
<i>/lib/libnss_nisplus.so.X</i>	implements nisplus source.

NOTES

Within each process that uses **nsswitch.conf**, the entire file is read only once. If the file is later changed, the process will continue using the old configuration.

Traditionally, there was only a single source for service information, often in the form of a single configuration file (e.g., */etc/passwd*). However, as other name services, such as the Network Information Service (NIS) and the Domain Name Service (DNS), became popular, a method was needed that would be more flexible than fixed search orders coded into the C library. The Name Service Switch mechanism, which was based on the mechanism used by Sun Microsystems in the Solaris 2 C library, introduced a cleaner solution to the problem.

SEE ALSO

[getent\(1\)](#), [nss\(5\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.