

NAME

e4defrag - online defragmenter for ext4 filesystem

SYNOPSIS

e4defrag [**-c**] [**-v**] *target* ...

DESCRIPTION

e4defrag reduces fragmentation of extent based file. The file targeted by **e4defrag** is created on ext4 filesystem made with **-O** extent option (see [mke2fs\(8\)](#)). The targeted file gets more contiguous blocks and improves the file access speed.

target is a regular file, a directory, or a device that is mounted as ext4 filesystem. If *target* is a directory, **e4defrag** reduces fragmentation of all files in it. If *target* is a device, **e4defrag** gets the mount point of it and reduces fragmentation of all files in this mount point.

OPTIONS

-c Get a current fragmentation count and an ideal fragmentation count, and calculate fragmentation score based on them. By seeing this score, we can determine whether we should execute **e4defrag** to *target*. When used with **-v** option, the current fragmentation count and the ideal fragmentation count are printed for each file.

Also this option outputs the average data size in one extent. If you see it, you'll find the file has ideal extents or not. Note that the maximum extent size is 131072KB in ext4 filesystem (if block size is 4KB).

If this option is specified, *target* is never defragmented.

-v Print error messages and the fragmentation count before and after defrag for each file.

NOTES

e4defrag does not support swap file, files in lost+found directory, and files allocated in indirect blocks. When *target* is a device or a mount point, **e4defrag** doesn't defragment files in mount point of other device.

Non-privileged users can execute **e4defrag** to their own file, but the score is not printed if **-c** option is specified. Therefore, it is desirable to be executed by root user.

AUTHOR

Written by Akira Fujita <a-fujita@rs.jp.nec.com> and Takashi Sato <t-sato@yk.jp.nec.com>.

SEE ALSO

[mke2fs\(8\)](#), [mount\(8\)](#).