

NAME

iptables-save — dump iptables rules to stdout

ip6tables-save — dump iptables rules to stdout

SYNOPSIS

iptables-save [-M *modprobe*] [-c] [-t *table*]

ip6tables-save [-M *modprobe*] [-c] [-t *table*]

DESCRIPTION

iptables-save and **ip6tables-save** are used to dump the contents of IP or IPv6 Table in easily parseable format to STDOUT. Use I/O-redirectation provided by your shell to write to a file.

-M *modprobe_program*

Specify the path to the modprobe program. By default, iptables-save will inspect /proc/sys/kernel/modprobe to determine the executable's path.

-c, --counters

include the current values of all packet and byte counters in the output

-t, --table *tablename*

restrict output to only one table. If not specified, output includes all available tables.

BUGS

None known as of iptables-1.2.1 release

AUTHORS

Harald Welte <laforge@gnumonks.org>

Rusty Russell <rusty@rustcorp.com.au>

Andras Kis-Szabo <kisza@sch.bme.hu> contributed ip6tables-save.

SEE ALSO

[iptables-apply\(8\)](#), [iptables-restore\(8\)](#), [iptables\(8\)](#)

The iptables-HOWTO, which details more iptables usage, the NAT-HOWTO, which details NAT, and the netfilter-hacking-HOWTO which details the internals.