

NAME

autom4te - Generate files and scripts thanks to M4

SYNOPSIS

autom4te [*OPTION*]... [*FILES*]

DESCRIPTION

Run GNU M4 on the *FILES*, avoiding useless runs. Output the traces if tracing, the frozen file if freezing, otherwise the expansion of the *FILES*.

If some of the *FILES* are named ‘*FILE.m4f*’ they are considered to be M4 frozen files of all the previous files (which are therefore not loaded). If ‘*FILE.m4f*’ is not found, then ‘*FILE.m4*’ will be used, together with all the previous files.

Some files may be optional, i.e., will only be processed if found in the include path, but then must end in ‘.m4?’; the question mark is not part of the actual file name.

Operation modes:

-h, --help

print this help, then exit

-V, --version

print version number, then exit

-v, --verbose

verbosely report processing

-d, --debug

don't remove temporary files

-o, --output=*FILE*

save output in *FILE* (defaults to ‘-’, stdout)

-f, --force

don't rely on cached values

-W, --warnings=*CATEGORY*

report the warnings falling in *CATEGORY*

-l, --language=*LANG*

specify the set of M4 macros to use

-C, --cache=*DIRECTORY*

preserve results for future runs in *DIRECTORY*

--no-cache

disable the cache

-m, --mode=*OCTAL*

change the non trace output file mode (0666)

-M, --melt

don't use M4 frozen files

Languages include:

‘Autoconf’

create Autoconf configure scripts

‘Autotest’

create Autotest test suites

‘M4sh’ create M4sh shell scripts

‘M4sugar’

create M4sugar output

Warning categories include:

- 'cross' cross compilation issues
- 'gnu' GNU coding standards (default in gnu and gnits modes)
- 'obsolete'
 - obsolete features or constructions
- 'override'
 - user redefinitions of Automake rules or variables
- 'portability'
 - portability issues (default in gnu and gnits modes)
- 'syntax'
 - dubious syntactic constructs (default)
- 'unsupported'
 - unsupported or incomplete features (default)
- 'all' all the warnings
- 'no-CATEGORY'
 - turn off warnings in CATEGORY
- 'none' turn off all the warnings
- 'error' treat warnings as errors

The environment variables 'M4' and 'WARNINGS' are honored.

Library directories:

- B, --prepend-include=DIR**
 - prepend directory DIR to search path
- I, --include=DIR**
 - append directory DIR to search path

Tracing:

- t, --trace=MACRO[:FORMAT]**
 - report the MACRO invocations
- p, --preselect=MACRO**
 - prepare to trace MACRO in a future run

Freezing:

- F, --freeze**
 - produce an M4 frozen state file for FILES

FORMAT defaults to '\$f:\$l:\$n:\$%', and can use the following escapes:

- \$\$** literal \$
- \$f** file where macro was called
- \$l** line where macro was called
- \$d** nesting depth of macro call
- \$n** name of the macro
- \$NUM** argument NUM, unquoted and with newlines
- \$SEP@**
 - all arguments, with newlines, quoted, and separated by SEP
- \$SEP*** all arguments, with newlines, unquoted, and separated by SEP

\$SEP%

all arguments, without newlines, unquoted, and separated by SEP

SEP can be empty for the default (comma for @ and *, colon for %), a single character for that character, or {STRING} to use a string.

AUTHOR

Written by Akim Demaille.

REPORTING BUGS

Report bugs to <bug-autoconf@gnu.org>.

GNU Autoconf home page: <<http://www.gnu.org/software/autoconf/>>.

General help using GNU software: <<http://www.gnu.org/gethelp/>>.

COPYRIGHT

Copyright 2012 Free Software Foundation, Inc. License GPLv3+/Autoconf: GNU GPL version 3 or later <<http://gnu.org/licenses/gpl.html>>, <<http://gnu.org/licenses/exceptions.html>>

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

[autoconf\(1\)](#), [automake\(1\)](#), [autoreconf\(1\)](#), [autoupdate\(1\)](#), [autoheader\(1\)](#), [autoscan\(1\)](#), [config.guess\(1\)](#), [config.sub\(1\)](#), [ifnames\(1\)](#), [libtool\(1\)](#).

The full documentation for **autom4te** is maintained as a Texinfo manual. If the **info** and **autom4te** programs are properly installed at your site, the command

info autom4te

should give you access to the complete manual.