

NAME

acct - switch process accounting on or off

SYNOPSIS

```
#include <unistd.h>
```

```
int acct(const char *filename);
```

Feature Test Macro Requirements for glibc (see [feature_test_macros\(7\)](#)):

```
acct(): _BSD_SOURCE || (_XOPEN_SOURCE && _XOPEN_SOURCE < 500)
```

DESCRIPTION

The `acct()` system call enables or disables process accounting. If called with the name of an existing file as its argument, accounting is turned on, and records for each terminating process are appended to *filename* as it terminates. An argument of `NULL` causes accounting to be turned off.

RETURN VALUE

On success, zero is returned. On error, -1 is returned, and *errno* is set appropriately.

ERRORS**EACCES**

Write permission is denied for the specified file, or search permission is denied for one of the directories in the path prefix of *filename* (see also [path_resolution\(7\)](#)), or *filename* is not a regular file.

EFAULT

filename points outside your accessible address space.

EIO Error writing to the file *filename*.

EISDIR

filename is a directory.

ELOOP

Too many symbolic links were encountered in resolving *filename*.

ENAMETOOLONG

filename was too long.

ENFILE

The system limit on the total number of open files has been reached.

ENOENT

The specified filename does not exist.

ENOMEM

Out of memory.

ENOSYS

BSD process accounting has not been enabled when the operating system kernel was compiled. The kernel configuration parameter controlling this feature is **CONFIG_BSD_PROCESS_ACCT**.

ENOTDIR

A component used as a directory in *filename* is not in fact a directory.

EPERM

The calling process has insufficient privilege to enable process accounting. On Linux the **CAP_SYS_PACCT** capability is required.

EROFS

filename refers to a file on a read-only filesystem.

EUSERS

There are no more free file structures or we ran out of memory.

CONFORMING TO

SVr4, 4.3BSD (but not POSIX).

NOTES

No accounting is produced for programs running when a system crash occurs. In particular, nonterminating processes are never accounted for.

The structure of the records written to the accounting file is described in [acct\(5\)](#).

SEE ALSO

[acct\(5\)](#)

COLOPHON

This page is part of release 3.74 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <http://www.kernel.org/doc/man-pages/>.